THE
GARDENS' BULLETIN
SINGAPORE

Volume XXIV
9th August, 1969
Singapore 150th Anniversary Issue

A periodical reflecting the interests and activities of the Botanic Gardens Singapore.

EDITOR:
Director, Botanic Gardens, Singapore.



Published by Authority

—

PRINTED BY LIM BIAN HAN, GOVERNMENT PRINTER, SINGAPORE

INDEX, VOL. XXIV

Basionyms and synonyms appear in italics. Page numbers in roman type refer to text, in italics to illustrative matter on the same or following page(s).

Abarema globosa, 6.
kiahii, 6.

Achyrospermum, 16, 18, 20, 23, 178.
densiflorum, 20, 23, *24*.
philippinense, 23, 25.
phlomoides, 23, 25.

Acrocephalus, 19, 20, 25.
blumei, 26.
capitatus, 26.
dentatus, 27.
indicus, 20, 26, *28*, 178.
forma spicatus, 27, *28*.
spicatus, 27.
sumatranus, 125

Acrymia, 15, 16, 20, 29, 178.
ajugiflora, 20, *28*, 29, *30*.

Adambea, 185, 187.
glabra Lam., 257, 261.
hirsuta, 261 263.

Adamboe, 261.

Aecidium fragiforme, 181.

Ajuga, 15, 16, 20, 29, 31.
bracteosa, 20, 31, *32*, 33, 178.
loheri, 31.
macrosperma Miq., 31.
macrosperma Wall. var. *cuneata*, 31.
remota 31, 33.
ternatensis, 31.

Alloburkillia, 4.
alba, 4.

Allopecuro-Veronica, 67.

Anisochilus euneurus, 76.

Anisomeles, 14, 18, 20, 33
species, key to, 33.
albiflora, 34.
candicans Benth., 37.
candicans Miq., 37.
indica, 20, 33, 34, *35*, 36, 37.
intermedia, 38.
malabarica, Miq., 34.
malabarica (L.) R. Br., 20, 33, 36, 37.
ovata, 34.
salviaefolia, 20, 33, 37, 179.

Anthocoma, 63.
flavescens, 63.

Aphanochilus, 73.
blanda, 73.

Aschersonia sp., 184.

Asteridiella confragosa, 183.

Ballota suaveolens, 96.

Basilicum, 38.
polystachyon, 20, 39, *40*, 178.

Becium, 125.

Boehmeria repanda, 362.
trinervis, 362, 364.

Botryodiplodia theobromae, 182.

Botryosphaeria stevensonii, 184.

Burkillia Ridley, 4.

Burkillia West & West, 4.
alba, 4.

Burseraceae, 2.

Bysteropogon graveolens, 96.

Calamintha, 18, 20, 41.
species, key to, 42.
gracilis, 20, 42.
molucana, 42.
repens var. *javanica*, 45.
umbrosa, 20, 43.
var. javanica, 42 *44*, 45.
var. umbrosa, 42, 43.

Canarium, 2.
caudatum, 2, 3.
forma caudatum, 3.
patentinervium, 2, 3.
reniforme, 2.

Catanthera, 351.
brassii, 353.
endertii, 353.
kinabaluensis, 353.
longistylis, 353.
lysipetala, 351, 352.
multiflora, 352.
ovata, 353.
paniculata, 353.
quintuplinervis, 353.
schlechteri, 353.
tetranda, 353.

Cedronella, 15.

Cerantanthus, 15, 19, 20, 46, 179.
longicornis, 20, 46, *47*, 179.

Cercospora oryzae, 183.

Choanephora cucurbitarum, 181, 182, 183, 184.

Clerodendranthus, 132.
stamineus, 132.

Coleus, 19, 20, 48, 147.
species, key to, 49.
acuminatus, 51.
amboinicus, 20, 49, 50, *54*, 178.
aromaticus, 50.
atropurpureus, 51.
bicolor, 60.
blumei, 51.
carnosa, 50, 51.
crispipilus, 56, 57.
formosanus, 56.
galeatus, 20, 49, *54*, 60, 62.
var. borneensis, 62.
var. galeatus, 60.
gaudichaudii, 56, 57.
gibbseae, 58, 59.
grandifolius, 58.
integrifolius, 58.
laciniatus, 51.
longipes, 59.
macranthus, 20, 49, *54*, 59, 151, 178.
var. *crispipilus*, 56.
var. *stenophyllus*, 59.
macrophyllus, 60.
maropus, 60.
multiflorus, 57.
pubescens, 56, 57.
pumilus, 56, 57.
remotiflorus, 60, 62.
scutellarioides, 20, 49, 51, *52*, *54*, 57.
varieties, key to, 53.
var crispipilus, 53, 56, 57
var gibbseae, 53, 58.
var. grandifolius, 53, 58.
var. integrifolius, 53, 58.
var. scutellarioides, 53.
sparsifolius, 20, 49, *54*, 60.
spectabilis, 60, 62.
suborbicularis, 50, 51.
suganda, 50, 51.
zschokkei, 56, 57.

Corticium salmonicolor, 181, 182, 183.
solani, 182, 183.

Corynespora cassiicola 181.

Craniotome furcata, 150.
versicolor Reichb., 150.
versicolor van Steenis, 150.

Crudia, 4.
sparei, 4.

Ctenolophon, 6.
grandifolius, 6, 7.
parvifolius, 6.

Cunila moluccana 42, 43.
nepalensis, 120.

Curvularia pallescens, 184.

Cymaria, 15, 16, 20, 29, 63.
species, key to, 63.
acuminata, 20, 63, *66*, 178.
dichotoma, 20, 63, 65, *66*.
elongata, 64.
mollis, 63, 64.
timoriensis, 64.

Cyrtandromoea repens, 85, 86.

Dialium angustisepalum, 4.
patens, 4.

Dillenia, 3.
eximia, 3.
grandifolia, 3.
ovata, 3.
reticulata, 3.

Discocarpus, 355.
mexicanus, 356.
nicaraguensis, 356, 359.

Discocnide, 355.
mexicana, 356, *357*, *358*.

Dissochaeta, 351, 352.
quintuplinervis, 353.

Docidium australianum, 341.

Duabanga, 189, 257.

Dysophylla Bl., 17, 20, 67, 179.
sect. *Oppositifoliae*, 180.
sect. *Verticillatae*, 180.
species and varieties, key to, 67.
auricularia Bl., 20, 67, *68*, 180.
var. montana, 69.
benthamiana, 70.
erecta, 72.
gracilis, 72.
stellata, 20, 67, 70, 71, 72, 178, 180.
var. *gracilis*, 72.
var. roxburgiana, 67, *68*, 72.
var. stellata, 67, 70.
var. *tomentosa*, 72.
quadrifolia, 72, 180.
tomentosa, 71.
var. gracilis, 72.
var tomentosa 71.
verticillata, 70, 71.

Elsholtzia, 17, 20, 73.
species, key to, 73.
blanda, 20, 73, *74*.
elata, 20, 73, 75 178.
eriantha, 75.
javanica, 142, 143.
mollissima, 76.
pubescens, 20, 76.

Epimeredi 34.

Eriomyces sp., 183.

Eriomycopsis ugandae, 182.

Eurysolen, 16, 18, 20, 77.
gracilis, 20, 77, *78*.

Eusteralis, 180.

Fatioa papaulensis, 196, 199.

Fomes lignosus, 182.
noxius, 182, 184.

Fordia johorensis, 4.
lanceolata, 5.
ngii, 5.
ophirensis, 5.

Ganua, 9.
motleyana var. glabrescens, 9.

Geniosporum axillare, 108.

Germanea, 141.
galeatus, 60.

Gomphostemma, 14, 16, 21, 29, 79. 140.
sect. Eugomphostemma, 79.
sect. Podosiphon, 79.
sect. Stenostoma, 79.
species, key to, 80.
bartlettii, 83.
cinereum, 86, 88.
crinitum, 21, 80, 84.
var. *griffithii*, 84.
curtisii 21, 80, 85.
dichotomum, 83.
flavescens, 63.
hemsleyanum, 21, 80, 85.
insuave, **117, 119.**
javanicum, 21, 80, 86, 89, 139.
lacteum, 86.
luzonense, 136, 138.
macrophyllum, 139, 140.
membranaifolium, 136, 138.
microcalyx, 21, 80, 82.
oblongum, 86, 140.
parviflorum Benth., 84.
parviflorum Wall. 21, 80, 83.
petiolare, 136, 139.
philippinarum, 86, 88.
phlomoides, 86, 89.
racemosum, 21, 80, *81*, 178.
scortechinii, 21, 80, 89.
sumatrense, 136, 138, 139.

Hedeoma, sect. Mosla, 119.
napalensis, 120.

Hederella, 351, 352.
brassii, 353.
endertii, 353.
forbesii, 351, 352.
kinabaluensis, 353.
longistylis, 353.
lysipetala, 352.
multiflora, 351, 352.
ovata, 353.
paniculata, 353.
quintuplinervis, 351, 353.
tetrandra 351, 353.

Hemsleia Kudo, 46.

Hyptis, 19, 20, 90, 178.
species, key to, 90.
brevipes, 20, 90, 92.
var. *serrata*, 91.
capitata Jacq., 95.
capitata Miq., 92.
celebica, 92, 95.
decurrens, 92, 95.
lanceolata Briq., 92, 95.
pectinata, 20, 90, 96.
phlomoides, 86, 89.
rhomboidea 20, 90, 92, *93*, 95.
spicigera, 20, 90, 95.
suaveolens, 20, 21, 90, 96.

Irpex flavus, 183.

Isodon, 141.

Isonandra perakensis var.
kelantanensis, 7.
var. perakensis, 7.

Katou-Adamboe Rheede, 264.

Labiatae, 13, 14.
addendum, 179.
classification. 15.
phytogeographical notes, 178.
species in Malesia, 20.
taxonomic treatment, 23.
subf. Ajugoideae, 15, 16, 20, 22.
genera key to, 16.
subf. Ocimoideae, 15, 19, 20, 21, 22.
genera, key to, 19.
subf. Prasioideae, 15, 16, 21.
TRIBUS *Prasiae*, 16.
subf. Scutellarioideae, 15, 17.
subf. Stachyoideae, 15, 16, 17, 20. **21, 22.**
genera, key to, 17.

Lagerstroemia, 185.
sect. Adambea, 185, 187, 189, 257, *258*, 270.
subsect Adambea, 187, 257, *258*, 259, 284, 292.
species, key to, 259.
subsect. Banglamea, 185, 187, 284.
species, key to, 284.
subsect. Microcarpidium, 185, 187, *258*, 272.
species, key to, 273.
sect. *Adambeola*, 185, 257, 284.
sect. *Muenchhausenia*, 185, 257.
sect. *Munchhausia* 189, 257.
sect. Sibia, 185, 187, *188*, 189.
subsect. Sibia, 185, 187, 189.
species, key to, 189.
sect. Pterocalymma, 187, 200.
species, key to, 201.
subsect Pterocalymma, 187, 200.
species, key to, 201.
sect. Trichocarpidium, 185, 187, 257, 292, *293*.
subsect. Trichocarpidium, 187, 292.
species, key to, 292.
subsect. Trichosepalum, 185, 187, 301.
species, key to, 302.
sect. *Velaga*, 185, 187, 189, 272.
alatulata, 185, 202, 240, 242, *243*, 250.
angustifolia, 306, 308.
anisoptera, 302, 321, *323*, 324.
archeriana, 185, 222, 292, 297, 299, *300*.
var. glabrescens, 222.
aruensis, 185, 202, *240*, *241*. 250.

Lagerstroemia (*contd.*)

balansae, 302, 308, 310, 317, *318, 319.*

batitinan, 254, 257, 290.

borneensis, 185, 202, 220, 232, 234, *235,* 250.
—piriformis-koehneana-group, 234,

calycina, 218, 228.

calyculata, 302, 306, *307,* 308.

celebica, 218.

chekiangensis, 273.

cochinchinensis, 308, 320.
var cochinchinensis 302, 308, *309.*
var. ovalifolia, 185, 302, 310 *311.*

collettii, 203.

collinsae, 312, *313.*

corniculata, 203.

costa-draconis, 185, 259, *269,* 270.

crassifolia, 185, 202, 232 *233,* 236, 250.

crispa, 202, 225, *226, 227,* 228, 250.

cristata, 185, 202, 236, *237,* 250.

cuspidata, 324, 326, 331.

dielsiana, 292, 296, 301.

duperreana, 185, 284, 285, *286.*

engleriana, 185, 299, 301.

fatioa, 196.

fauriei, 279.

floribunda, 299, 301, 321, 324, 327, 329, 333.
var. brevifolia, 303, 331, *332.*
var. *cuspidata,* 324.
var. floribunda, 303, 329, *330.* 331, *332,* 333.
var subecostata, 303, *332,* 333.
var. sublaevis, 303 *332,* 333.

flos-reginae, 261, 262, 264, 268.
var. *augusta,* 261.

fordii, 248, 284, 290, *291.*

gagnepainii, 185, 284, 287, *289.*

glabra Gagn., 185, 276.

glabra Koehne, 273, 276, *278,* 287.

grandiflora, 189, 257.

hexaptera, 213, 218, 254, 257.

hirsuta, 185, 261, 263.

hossei, 271.

hypoleuca, 259, *260,* 284.

indica, 189, 190, *191,* 192, 257, 268, 273.
var. alba, 190.
var. *pallida,* 190.
var. rosea, 190.
forma angustifolia 190.
forma latifolia 190.
forma lilacina 190.

inopinata, 185, 202, 238, *239,* 240, 242, 250.

intermedia, 268.
var. *oblonga,* 271.

koehneana, 203, 236, 246, *247,* 250, 254.

lanceolata Brandis & Clarke, 185, 192.

lanceolata Wall., 192, 195.

langkawiensis, 185, 303, 327, *328.*

lecomtei, 302, 320.

limii, 273, *274, 275.*

loudonii, 185, 263, 302 303, *304,* 305.

macrocarpa, Wall., 261

macrocarpa Kurz., 271.
var. macrocarpa, 259, *269,* 271, 272.
var. reflexa, 185, 259, *269,* 272.

major, 263.

micrantha, 273, 276, *277.*

microcarpa, 185, 189, 192, *193, 194,* 195, 276.

minuticarpa, 284, 287, *288.*

moluccana, 185, 202, 244, *245,* 250.

noei, 312, 320.
var. longifolia, 185, 302, 314, *316,* 317.
var. noei, 302, 314, *315,* 317.

ovalifolia, 201, 210, *211,* 213, 216.
varieties, key to, 212.
var. apiculata, 185, 202, 212, 213, 216, *217,* 218, 250.
var. exapiculata, 185, 201, *211,* 212, 213, *214.*
var minor, 185, 202, *211,* 212, 216, 218, 250.
var. novoguineensis, 185, 202, *211,* 212, 220, *221,* 250.
var. ovalifolia, 201, *211,* 212, 213.
var. riedeliana, 185, 202, 212, 218 *219,* 250.
var. ruptilis, 185, 202, *211,* 212, 215.

paniculata, 200, 202, 225, 228, *229,* 240, 244, 250, 257.

parviflora, 189, 192, 195, *179, 198.*
subsp. *nudinervis,* 196.
subsp. *pubinervis,* 196.
var. *benghalensis,* 196
var. *majuscula,* 196.
var. *napaulensis,* 196.

petiolaris, 292, 297, *298.*

piriformis, 203, 220, 228, 236, 238, 240, 244, 248, *249,* 254.
forma batitinan, 185, 203, 244, 254, *255.*
var. callosa, 185, 203, 252 *253.*
var valleculata, 185, 203, 238, 250, *251.*

Lagerstroemia (*contd.*)
pterosepala, 185, 202, 230, *231*, 250.
pubescens, 296.
punctulata, 185.
pustulata, 185, 201, 222, *223*.
quinquevalvis, 201, 224.
reginae, 185, 257, 259, *260*, 261, 272.
riedeliana, 218.
rottleri, 185, 263, 303, 305.
siamica, 303, 321, 324, *325*, 326, 327, 331.
speciosa, 185, 224, 257, 259, *260*, 263, 264, 268, 271, 272.
var. augusta, 263.
var intermedia, 185, 259, 268, *269*
var. speciosa, 259.
spireana, 302, 321, *322*.
var. *armata*, 321.
stenopetala, 276, 279.
subangulata, 185, 201, 208, *209*, 210.
subcostata, 272, 273, 276, 279, 281, *282*, *283*.
var. *ambigua*, 279.
var. *glabra*, 276.
var. *hirtella*, 281.
subsessilifolia, 201, 222, 224.
thomsonii, 185, 192, 195.
thorellii, 185, 285, 290.
tomentosa, 292, *294*, 296, 305.
var. *caudata*, 292.
var. *loudonii*, 303.
turbinata, 331.
undulata, 202, 208, 210, 225, *226*, 228.
var. *subangulata*, 208, 225.
unguiculosa, 281.
venusta, 201, 203, *204*.
villosa, 201, 205, *207*.
var. *sparsior*, 205, 208.
yangii, 273, 279, *280*.
var. ambigua, 279, *283*

Lamium *gesnerioides*, 136.
longepetiolata, 136.

Laportea, 355.
sect. *Discocarpus*, 355.
liebmannii, 356.
mexicana, 356.
nicaraguensis, 356.
platycarpa, 356.

Lavandula, 15.

Leguminosae, 4.

Leonotis, 15.

Leonurus, 18, 21, 97.
javanicus, 136, 138, 139.
oblongifolius, 139, 140.
sibiricus, 21, 98, *99*.

Leucas, 21, 18, 100.
species, key to, 100.
aspera, 21, 100, 101, *102*.
bancana, 101.
biflora Miq., 105.
ceylonica, 101.
decemdentata Benth., 107.
flaccida, 21, 100, *102*, 107.
globuligera, 91, 92.
javanica, 21, 100, *102*, 105.
var. *horsfieldiana*, 106
var. *littoralia*, 106.
var. *montana*, 106.
forma *javanica*, 106.
forma *littoralis*, 106.
forma montana, 106.
lavandulifolia, 21, 100, *102*, 103.
leucocephala, 105, 106.
linifolia, 104.
malayana, 101.
marrubioides Ceron, 106, 107.
minahassae, 101.
mollissima, 21, 100, *102*, 106.
oxyodon, 105, 106.
parviflora, 107.
procumbens Miq., 105.
sericea, 106, 107.
zeylanica, 21, 100, 101, *102*.

Lowiaceae, 347.
subf. Lowioideae, 347.

Lumnitzera *acrocephala*, 26.
capitata, 26.

Lycopus dianthera, 120.

Lythraceae, 185.

Madhuca, 9.

Majorana, 15.
amboinica, 50, 51.

Marasmiellus scandens, 181, 182, 183, 184.
equicrinus, 182, 183, 184.

Marrubium indicum Blanco, 96.

Marsypianthes, 15.

Medinilla 351.
anomala, 352.
longistylis, 352.
multiflora, 352.

Melastomaceae, 351.
TRIBUS Dissochaeteae, 351.

Melissa, 21, 18, 41 108.
species, excluded, 110.
sect. *Calamintha*, 41.
axillaris, 21, 108, *109*.
hirsuta Bl., 108, 110.
indora, 110, 176.
parviflora Benth., 108, 110.
umbrosa, 43.

Mentha, 17, 21, 111.
species, cultivated, 113.
arvensis Benth. var. *zollingeri*, 111.
arvensis Linn. 111, 113.
var. javanica, 21, 111, *112*.
auricularia Blanco, 154.
auricularia Linn., 67, 180.
cablin, 154.
crispa Blanco 113.
foetida, 67.
javanica, 111.
quadrifolia, 72.
stellata, 70.
verticillata Roxb., 70, 71.

Mesona, 15, 19. 21, 113 117.
species, key to, 114.
clausa, 123.
palustris, 21, 114, *115.*
var. petiolata, 114, 116.
parviflora, 116.
philippinensis, 21, 114, *115,* 116.
prunelloides, 125.
wallichiana, 116.
glabratus, 135.

Metiola stenospora var. major, 184.

Micrasterias alata forma tumida, *339,* 341, *346.*
americana var. macrodon, *339,* 344.
foliacea, 344.
var. spinosa, 341, *342, 346.*
mahabuleshwarensis, 344.

Microthyriella sp., 182.

Microtoena, *18,* 21, 117.
cymosa, 117, 119.
insuavis, 21, 117, *118.*

Microxyphium sp., 181, 184.

Mimusops elengi, 9.

Moschosma, 38.
philippinense, 142.
polystachyum, 39.
tenuiflora, 39.

Mosla, 14, 17, 21, 119.
species, key to, 120.
dianthera, 21, 120, *121.*
formosana, 21, 120, *121,* 122, 179
lysimachiiflora, 122.
ocimoides, 120.

Munchhausia, 187, 189, 257.
speciosa, 257, 264, 267, 268, 334.

Musaceae, 347.

Naetrocymbe depressa, 181.

Neovossia horrida. 183.

Nepeta, 15.
indica, 34.
malabarica Bl., 34, 36.
malabarica Linn. 37.
pectinata, 96.

Nosema, 15, 19, 21, 117, 122.
species, key to, 123.
clausa, 21, 123, *124.*
capitatum var. *javanica,* 125.
cochinchinense, *124,* 125.
prunellodes, 125.

Nothocnide, 361.
Collections, index of, 369-373.
species, key to, 362.
discolor, 361, 362, 367, 368.
melastomatifolia, 362, *366,* 365.
mollissima, 362, *365.*
repanda, 361, 362, *363,* 365, 367, 368.

Ocimum, 19, 22, 48, 125, 178.
species, key to, 126.
acrocephalum, 26, 27.
africanum, 126.
americanum, 126.
aristatum, 132, 134.
basilicum, 22, 126, 127.
var. *glabratum,* 127, 128.
brachiatum, 126, 127.
canum, 126, 127, 128.
capitatum, 26.
capitellatum, 26.
citriodorum, 127.
glabratus, 135.
grandiflorum, 132.
gratissimum, 22, 126, 128.
polystachyum, 39.
sanctum, 22, 126, 129, *130.*
scutellarioides, 51.
tenuiflorum Burm., 39.
thymiflorum 135.
tomentosus Benth., 135.
viscosum, 135.

Ocymium, 48, 125, 128.

Oidium, sp., 184.
heveae, 183.

Omphalopus, 352.

Orchidantha, 347.
borneensis, 347.
calcurea, 347.
longiflora, 347, *348.*
maxillarioides, 347.

Origmum benghalense, 26.

Ormosia grandistipulata, 6.
polita, 6.

Orthodon Benth. 119, 120.
formosanum, 122.
lysimachiiflorus, 122.

Orthosiphon, 19, 22, 132.
species, key to, 132.
aristatus, 22, 132, *133.*
petiolaris, 135.
spiralis, 132.
stamineus, 132.
var. *angustifolia,* 132, 134.
thymiflorus, 22, 132, 135.
viscosus, 135.

Palaquim, 9.
cryptocariifolium 11.
impressionervium, 7, *8.*
regina-montium, 9, *10.*

Paraphlomis, 16, 18, 22, 135.
species, key to, 136.
brevidens, 136, 138, 139.
javanica, 22, 136, *137,* 139, 140.
oblongifolia, 22, 136, *137* 139, 178.
rugosa, 136, 139, 140.

Payena, 9.

Pestalotiopsis palmarum, 182.
theae, 182.

Phlomis, 16.
aspera, 101.
chinensis Bl., 105.
indica Blanco, 34.
javanica, 136.
linifolia, 103.
oblongifolia, 139.
rugosa, 136.
zeylanica Blanco, 104.
zeylanica Linn., 101.

Phyllapophysis, 352.
schlechteri, 352, 353.
Phymatodocis nordstedtiana var. triangularis, *343*, 345, 346.
Phytophora parasitica, 183.
Pipturus, 361.
discolor, 368.
ellipticus, 362.
melastomatifolius, 365.
mollissimus, 365.
repandus, 362.
repandus var. *Rufescens*, 365.
rotundifolius, 368.
succulentus, 362, 364.
subalpinus, 362, 364.
Pithecellobium, 6.
affine, 6.
globosum, 6.
Plectranthus, 15, 19, 22, 48, 141, 147, *148*, *149*.
sect. *Cornigera*, 46.
species, doubtful, 151.
species, key to, 141, 142.
amboinensis, 50.
apoensis, 22, 147, *148*.
aromaticus, 50.
benthamianus, 142, 143.
bicolor Bl., 60, 61, 62.
congestus, 22, 147, *148*, 179.
diffusus Merr., 142, 143.
galeatus, 60.
ingratus, 51.
intermedius, 142, 143.
javanicus, 22, 141, 142, *149*.
klossii, 22, *148*, 150.
var. major, 150, 151.
kunstleri, 151.
laciniatus, 51.
macrophyllus, 60, 62.
monadelphus Llanos, 56.
parviflorus Willd, 22, *148*, 150, 179.
patchouli, 117.
petraeus, 22, 141, 145, *149*.
scutellarioides, 51.
steenisii, 22, 141, 145, *146*, *149*.
teysmanni, 22, 141, 144, 145, *149*.
zollingeri, 144, 145.
Pleurotaenium, 341.
australianum, 341.
burmense var. elegans, 337, *338*, *346*.
spinosissimum, *338*, 340.
spinulosum, 340.
var. madagascariense, 340.
Pogostemon, 16, 17, 22, 151, *158*, 179.
species, imperfectly known, 160.
species, key to, 152.
auricularius, 67, 180.
battakianum, 154, 155.
cablin, 22, 152, 154, *158*, 178.
comosus, 154, 155.
cristatus, 160.
fraternus, 156, 159.
heyneanus, 22, 100, 151, 152, *158*.
javanicus, 154, 155.
membranaceous, 156.
menthoides, 22, 152, 156, *157*, *158*.
nepetoides, 154, 155.
var. *glandulosus*, 154.
patchouli Hook., 152, 154.
patchouly Pellet, 154.
var. *suavis* Hook. f., 154.
philippinense, 22, 152, 156, *157*, *158*.
reticulatus, 22, 152, 155, *158*.
tomentosus, 22, 152, 153, *158*.
verticillatus, 70.
velatus, 22, 152, *158*, 159.
williamsii, 159, 160.
Polypodium ovatum, 51.
Prasium *javanicum*, 86, 87, 139.
forma javanicum, 89.
forma phlomoides, 89.
phlomoides, 86, 88.
Prunella indica, 26.
Pseudopipturus rotundifolius, 368.
Pterocalymma, 185, 187.
Pycnanthemum decurrens, 92.
elongatum, 50.
subulatum, 90.
Pycnostachys, 15.
Rabdosia 141.
javanica, 142.
Rhizopus stolonifer, 181.
Rosmarinus, 15.
Salvia, 14, 17, 22, 160.
species, key to, 161.
coccinea Prain, 162.
coccinea var. pseudococcinea, 22, 161, 162, *163*.
philippinensis, 162.
plebeia, 22, 161, 162, *163*.
pseudococcinea, 162.
scapiformis, 161, *163*.
violaceae, 162.
Sapotaceae, 7.
Satureia, 41, 42.
sect. *Calamintha*, 41.
gracilis, 42.
umbrosa, 43.
var. *javanica*, 45.
var. *repens*, 45.
Schiffnerula sp., 182.
mirabilis, 183.
Sclerotium rolfsii, 184.
Scutellaria, 14, 17, 22, 164.
species and varieties, key to, 165.
copelandii, 167, 178.
cyrtopoda, 167.
discolor, 22, 165, 168, *170*.
var. cyrtopoda, 165, 167 *170*.
var. discolor, 165.
heteropoda, 165, 166.
var. *grandis*, 165, 166.
horsfieldiana, 168, 171.
indica, 22, 165, 167, *170*.
javanica, 22, 168, *169*, *170*, 171.
var. javanica, 165, 168.
var. luzonica, 165, *170*, 171.
var. sumatrana, 165, *170*, 171.
var. russeliaefolia, 165 *170*, 172.

Scutellaria (*contd.*)
luzonica, 171.
marivelensis, 171.
repens, 45.
russeliaefolia, 172.
sumatrana, 165, 171.

Septobasidium sp., 181, 184.

Septoria sp., 183.

Solenostemon, 49.

Sphaerostilbe repens, 181.

Stachys, 18, 22, 172.
artenisiae, 98.
melissaefolia, 22, 173, *174*.
oblongifolia Back., 173.
oblongifolia Wall. ex. Benth., 173.
rubisepala, 43, 45.
sericea Cav., 173.
sericea Wall. ex. Benth., 173.

Streptonema quadrangularis, *343*, 345, *346*.
trilobatum, 345

Teucrium, 16, 22, 175.
species key to, 175.
annandalei, 176.
philippinense, 176.
quadrifarium, 22 175, *177*.
stoloniferum Hamilt. ex Benth., 176.
stoloniferum Roxb., 176.
var. *typicum*, 176.
viscidum, 22, 110, 176, *177*.
var. densiflorum, 176, 178.

Thielaviopsis paradoxa, 182.

Thymus, 15.
biserratus, 90.

Trametes corrugata, 183.

Trichomerium sp., 181.

Triploceras, 341.
splendens, *338*, 340, *346*.

Urera, 355.
platycarpa, 356, 359.

Urtica *mollissima*, 365.
repanda, 361, 362.
rotundifolia, 368.

Urticaceae, 361.

Urticastrum mexicanum, 356.
nicaraguense, 356.

Vacciniaceae, 351.
TRIBUS Ericeae, 351.
Vaccinieae, 351.

Velaga, 185, 187, 189.

Wensea, 151.

Xanthidium superbum var. centricornis, *342*, 344, *346*.

Ziziphora javanica, 43, 45.